

## Box Properties

--Description--

Name:

Type: Vented Box

Shape: Prism, square

--Box Parameters--

Vb = 7.152 cu.ft

V(total) = 8.515 cu.ft

Fb = 30.01 Hz

F3 = 26.41 Hz

Fill = none

--Vents--

No. of Vents = 1


Vent shape = rectangle

Vent ends = one flush

Hv = 10 in

Wv = 3 in

Lv = 9 in



--External Dimensions--

A = 22 in

B = 45 in

C = 18 in

--Internal Dimensions--

A = 20.5 in

B = 43.5 in

C = 16.5 in

--Wall Thickness--

Front = 0.75 in

Side = 0.75 in

## Driver Properties

--Description--

Name: XX 18 D4

Type: Standard one-way driver

Company: RE Audio (2015)

--Configuration--

**No. of Drivers = 2**

Mounting = Standard

Wiring = Parallel

Drivers sum coherently = Yes

Dual voice coils = parallel

--Driver Parameters--

Fs = 20.51 Hz

Qms = 5.76

Vas = 6.082 cu.ft [12.16]

Xmax = 1.9 in

Sd = 194.8 sq.in [389.6]


Qes = 0.567

Re = 1.48 ohms [0.74]

Le = 1.727 mH [0.863]

Z = 1.776 ohms [0.888]

Pe = 1500 watts [3000]



### Box Parts

Box Shape: Square Prism

- 1 Top, 1 Bottom: depth (c) = 18 in  
width (b) = 45, thickness = 0.75 in
- 1 Front, 1 Back: height (a) = 20.5 in  
width (d) = 43.5, thickness = 0.75 in
- 2 Sides: height (a) = 20.5 in  
depth (c) = 18, thickness = 0.75 in

--Driver Mounting--

Mounting: Front

Aim: All drivers face same direction

--Vent Parts--

1 Top, 1 Bottom:

width (e) = 4.5, length (h) = 9 in  
thickness = 0.75 in

2 Sides:

height (g) = 10, length (h) = 9 in  
thickness = 0.75 in



### Wiring Diagram

